The Gazette



of **Endia**

EXTRAORDINARY PART II—Section 3

PUBLISHED BY AUTHORITY

No. 101A]

NEW DELHI, WEDNESDAY, JULY 2, 1952

MINISTRY OF COMMERCE AND INDUSTRY

New Delhi, the 2nd July, 1952.

S.B.O. 1140A—The following Notification issued by the Iron and Steel Controller under clause 8(1) of the Iron and Steel (Scrap Control) Order, 1943, is published for general information:—

"NOTIFICATION

In exercise of the powers conferred by sub-clause (1) of clause 8 of the Iron and Steel (Scrap Control) Order. 1943, and with the approval of the Control Government, the Iron and Steel Controller is pleased to notify the following amendment to the Government of India in the late Ministry of Industry and Supply Notification No. I(1)-I(196), dated the 5th February, 1949, as amended from time to time, viz.,—

For the existing "Parts I and II" of the 'Schedule', the following shall be substituted:-

SCHEDULE

PART I A-Defectives and Cuttings.

			basic prices Bombay and		
í		Col. I	Col. II	Col. III	
Item No.	Description or classification of materials	For sales by Controlled sources other than those mentioned in Col. II	For sales by Scrap Mor- chants who have been declared Controlled sources	For sales by all persons other than those mentioned in Cols. I and II	
		Rs.	Rs.	Ra.	
1	Bars and Rods (Rounds and Squares below 3" and Flats upto and including 5" wide), Defective, Rejected and Non-standard. Above 9' long for Bars and above 8' long for Rods.	294	319	330	
2	Fishplates—Defective (for heavy or light rails)	327	352	372	
3	Plates—Defective, Rejected and Non-standard, 3/8" and up thick.	315	340	360	

ط د	E A LIE OF INDIA	. AIRAO.	JINAH.	[PART II	
-		Maximum l Calcutta,	oasic prices Bombay and	per ton at d Madras	
1		Col. I	Col. II	Col. III	
Item No.	Description or classification of materials	For sales by Controlled sources other than those mentioned in Col, II	For sales by Scrap Merchants who have been declared Controlled sources	For sales by all persons other than those mentioned in Cols. I and II	
		Rs.	Rs.	Ra.	
4	Plates—Defective, Rejected and Non-standard, 1/8" thick	336	361	381	
5	Rails (excluding Second class Rails to specification T. II/28)—Defectives 12' and up—				
	(a) Light	280	305	325	
	(b) Hoavy	255	280	300	
6	Semis—Defective (Ingots, Billets, Blooms, Slabs, etc. and cuttings thereof).	105	220	240	
7	SheetsBlack Non-standard, Defectives, Rejects and cuttings over 18" wide, 11/14 gauge.	347	372	397	
8	Sheets—Galvanised Corrugated, Rejected, Defective and Spotted, 24 gauge.	576	601	626	
Ð	Sleepers—Steel, Rejected, unused	250	275	295	
10	Sleeper Bars—Rejected 9' and above .	202	227	247	
11	Structurals including Bars (Rounds and squares 3" and above and Flats above 5" wide), defective, rejected and non-standard over 9' long.	235	260	280	
	B.—Industrie	ıl Sorap			
1	Axles—(Rly. Engine, Carriage and Wagon Axles).	190	215	235	
2	Bars and Rods (Rounds and Squares below 3" and Flats upto and including 5" wide) Cuttings 2'/9' for Bars and 2'/8' for Rods.	250	275	205	
3	Bars and Rods (Rounds and Squares below 3" and Flats upto and including 5" wide) Cuttings under 2' down to 1' long.	200	225	245	
4	Bars and Rods (Rounds and Squares below 3" and Flets upto and including 5" wide) Cuttings under 1' long.	150	175	195	
5	Bars, Octagonals (H. C.) Defectives and Cuttings over 2' long.	325	350	385	
6	Bars, Octagonals (H. C.) Defectives and Cuttings 1' to 2' long.	265	290	325	

		Maximum basic prices per ton at Calcutta, Bombay and Madras.					
		Col. 1	Col. II	Col. III.			
ntem No.	Description or classification of materials	For sales by Controlled sources other than those mentioned in Col. II	For sales by Scrap Merchants who have been declared Controlled sources	For sales by all persons other than those mentioned in Cols. I and II			
<u></u>		Rs.	Rs.	Rø.			
7	Bars, Spring Steel Defectives and Cuttings over 2' in length.	390	415	450			
8	Bars, Spring Steel, Cuttings, 1' to 2' in length	240	265	300			
9	Bars, Spring Steel, Cuttings under 1/long .	190	215	250			
10	Dog Spikes—used,—second hand	155	180	200			
11	Draw Bars (Rly. Engine and Carriage) with or without hooks.	160	185	205			
12	Foncing Posts—punched ——second hand, used complete, or broken 2' long and over.	145					
13	Hoops and thin Flats, defective and second hand over 10' basis.	260	285	305			
	$3/4'' \times 20$ gauge, below 19' in length nominal.	470	495	545			
	$3/4'' \times 18/19$ gauge, below 19' in length nominal.	435	460	510			
14	Hoops or thin Flat cuttings, 2'/10' All widths and gauges (not exceeding 1/8" thick).	260	285	305			
15	Hoop or thin Flat cuttings below 2' and defective or second hand below 10'.	150	175	195			
16	Nails, Wire, Rejected, Defective and/or rusty, mixed gauges and/or sizes.	520	545	595			
17 →	Plate cuttings (ends) and/or strips straight shoured (5/16" and thicker and in widths above 10").	240	265	285			
18	Plate cuttings, 5/16" and thicker, and in widths upto 10" wide.	220	245	265			
19	Plate cuttings (ends) and /or strips straight sheared 1/8" thick above 10" wide.	270	295	815			
20	Plates scrap or cuttings 1/8" thick, upto 10" wide.	255	280	300			
21	Plates—Chequered 1/4" and up (Defective)	270	295	815			
	(i) Plates—cuttings in widths above 10"	250	275	295			
	(ii) Plates—cuttings in widths upto 10"	240	265	285			

		Maximum Calcutta,	basic prices p Bombay and	dic prices per ton at mbay and Madras.		
'		Col. I.	Col. II.	Col. III.		
Itom No.	Description or classification of materials.	For sales by Controlled sources other than those mentioned in Col. II.	For sales by Scrap Morchants who have heen declared Controlled sources.	For sales by all persons other than those mentioned in Cols. I and II.		
		Rs.	Rs.			
22	Plates (punchings for making nuts, etc.)	110	135	155		
23	Plates, steamer punched all sizes	190	215	235		
24	Plates shearings (resulting from fabrication work) 5'-6" and longer mixed widths and thicknesses.	170	195	215		
*25	P.C.R.C.A.Strips—Gauge 28 and thicker .					
	(a) Over 6"	295	320	350		
	(b) 3" to 6" wide	210	235	265		
	(c) Under 3"	` 160	185	215		
*26	(a) P.C.R.C.A. Westers—mixed gauges .	345	370	400		
	(b) Black plate rejects—mixed gauges .	345	370	400		
27	Points and crossings—Steel	160	185	205		
28	Rails (excluding second class rails to specn. T. II/28)—					
	Cuttings 2' to under 12'					
	(a) Light	220	245	265		
	(b) Heavy	195	220	240		
29	Rails cuttings—Steel under 2' (Light or Heavy).	140	165	185		
30	Rails, Wrought Iron—Used	140	165	185		
31	Roll Spoils all thicknesses and lengths .	210	235	255		
32	Sheet cuttings, Black Fishtails and clean cut mixed 6"/18" wide mostly 24 gauge.	260	285	310		
33	Shoet Cuttings, Black Fishtails and clean cut mixed 6"/24" wide 13/18 gauge.	280	255	280		
34	Sheet Cuttings, Black Fishtails and clean ou mixed 6"/24" wide, 19/22 gauge.	t 245	270	295		
35	Sheet Cuttings, Black Fishtails and clean out mixed 6'/18" wide, 26 gauge	1	270	295		

		Maximum basic prices per ton at Celcutta, Bombay and Madras.						
		Col, I	Col. II	Col. III				
Itom No.	Description or classification of materials	For sales by Controlled sources other than those mentioned in Col. II.	For sales by Scrap M rehants who hav been declared Controlled sources.	For sales by all persons other than those mentioned in Cols. I and II				
—- -		Rs.	Rs.	Rs.				
36	Shoet Cuttings, Black Fishtells and clean cut mixed 6"/24" wide, 28 gauge.	200	285	310				
37	Sheet Cuttings Black Fishtails and clean cut mixed 6"/24" wide, 30 gauge.	280	305	330				
38	Sheets—Black cuttings, ennealed, clean cut pieces 6" to under 18" wide.	250	275	300				
39	Shoots—Black cuttings, 6" and up wide, all Fishtails, mixed gauges 10 to 26 gauge.	195	220	245				
40	Sheets—Black cuttings, 2" to under 6", 11/14 gauge.	150	175	200				
*41	Sheets—Black Cuttings	,						
	(a) Thin Straight Sheared hand bundled mixed gauges 20/34, 4" wide and over.	250	275	300				
	(b) Thick hand bundled mixed gauges 20/34, 2" wide and over.	130	155	180				
42	Sheets, Galvanised, Cuttings, plain or corrugated, 16/24 gauge.	350	375	400				
43	Shoets, Galvanised—used—damaged but re- utilisable, corrugated or plain, mixed or unmixed.	230	255	280				
44	Sleeper, Steel, Second hand (Used)	160	185	205				
45	Sleeper Bars—							
	(a) Cuttings 2' to below 9'	170	195	215				
	(b) Cuttings bolow 2'	125	150	170				
46	Spring Steel (Scrap) for making awords, etc.	215	240	275				
47	Structural Cuttings 2'/9" long including those of Bars (Rounds and Squares 3" and above and Flats above 5" wide).	225	250	270				
48	Structural Cuttings under 2' long including cuttings of Bars (Rounds and Squares 3" and above and Flats above 5" wide).	150	175	195				

 -							
		Maximum basic prices per ton at Calcutta, Bombay and Madras.					
		Col. I.	Col. II.	Col. III.			
Item No.	Description or classification of materials.	For sales by Controlled sources other than those mentioned in Col. II.	For sales by Scrap Merchants who have been declar- ed Controlled sources.	For sales by all persons other than those men- tioned in Cols. I and II.			
		Rs.	Rs.	Rs.			
* 49	Terneplate Strips, G. 28 and thicker-						
	(a) Over 6" wide	325	350	380			
	(b) 3" to 6" wide	245	270	300			
	(o) Under 3"	185	210	240			
50	Tie Bars—Punched—Second hand (Used)—	•					
	Full lengths or broken 1/long or over	110	135	155			
*51	Tinplate Strips—28 Gauge and thicker—in lots where—						
	Minimum width. Mximum width.						
	(a) 6" —	545	570	600			
	_ (b) 3" 6"	480	505	535			
	(o) 2" 3"	525	550	580			
	(d) 1" 2"	505	530	560			
	(e) 1/2" 1"	485	510	540			
	(f) 1/2" —	455	480	510			
52	Tinbar and Sheet bar, Crop Ends approx. 5/8", 1/2" and 3/8" thick, 2" to 6" wide.	170	195	215			
53	Tyres—Scrap (with studholes) maunsell ring fastenings.	190	215	235			
54	Tyres (Wheel—Railway Engine, Carriage) without stud holes.	. 190	215	235			
55	Wire Defective and short lengths specific gauges, basis 2-3 S. W. G.—						
	(a) Hard Bright	440	465	500			
	(b) Annealed	480	505	540			
	(c) Galvanised (including Telegraph)	600	625	660			
	(d) Barbod	700	725	760			
	*	 	<u> </u>	 			

		Maximum basic prices per ton at Calcutta. Bombay and Madras.				
		Col. T	Col. 11	Col. III		
Itom No.	Description or classification of materials	Forsales by Controlled sources other than those mentioned in Col. II.	For sales by Scrup Merchants who have been declared Controlled sources.	For sale by all persons other than those mentioned in Cols. I and II.		
56	Wire Scrap and cuttings in mixed unsorted gauges—	Rs.	Rs.	Rs.		
	(a) Hard Bright	440	465	500		
	(b) Annoaled	475	500	535		
	(c) Galvanised	600	625	660		
57	Wire-Scrap twisted, bent andrusty, mixed or unmixed gauges—					
	(a) Unannoaled	295	320	355		
	(b) Annoaled	325	350	385		
	(c) Galvanised	425	450	485		
	(d) Barbed	490	515	550		
58	Mild Steel, Commercial quality, MELTING SORAP excluding borings and turnings and special quality low phosphorus melting scrap.	1	60	60		
59	Fresh Borings and Turnings	per ton sources i	ex-site for al neluding Cont	all be Rs. 18 l persons and crolled Source of to any place		
60	Special quality low Phosphorus steel MELT- ING SCRAP with phosphorus content below .035 per cent.	108	100	105		
61	Special quality low phosphorus steel MELT ING SCRAP with phosphorus content 035 per cent. to under 045 per cent.		99	90		
62	Cast Iron Melting Scrap—Grade I .	. 71	5 7	78		
	Grade II .	. 5	3 5	3 53		

^{*}Gauge extras applicable to items 25, 26, 41, 49 and 51 (Tinplate Co.'s specifications) for lots—

(1)	Thinner than 28 gauge	•	•	•	•	•	•	Ks.	. 25 pe	r ton.
/O.	00 +- 90							~		

PART II

Scrap for Re-rolling

Item No.	Description of materials or lot.	Maximum prices per ton at Calcutta, Bombay and Madras.
		Rs.
1	Defective Semis including Sheet and Tin Bars and any other items accepted by Registered Producers as Semis for re-rolling purposes	235
2	Fresh Re-rollable scrap from all sources including fresh steel rail outtings and other scrap recovered from the process of fabricating new steel but excluding Roll-spoils	210
3	Used Railway Straight Axles	210
4	Used steel Rails of all descriptions in re-rollable lengths including points and crossings	180
5	Steel long Draw Bars (with or without Hooks)	180
6	Fresh Roll-spoils $3/4''$ and thicker which are suitable for or which the Countroller considers should be used for re-rolling lengths $\delta' \cdot \theta''$ and up	210
7	All other Re-rollable scrap from any source including such scrap re- covered from old fabrication, etc., which the Controller considers suitable or fit for re-rolling	170

This amondment shall take effect from the 2nd July, 1952 and, notwithstanding the rates at which an order has been booked, shall apply to all deliveries effected on or after that date.

M. K. POWVALA, Iron and Steel Controller" [No. SE (A)-2 (88)/52]

C. R. NATESAN, Dy. Secy.